	demy of Sciences (Cont.)	SOV/6100
11.	Belokrinitskaya, S. S. Structure of a Dictionary and Rules of Analysis of a German Word	204
12.	Bykova, L. N. On the Construction of Rules for Analysis of a Verb in the English Language	222
L3.	Tarasova, G. A. Establishment of the Syntactic Relationships for Prepositional Groups on the Basis of Formal Analysis	240
4•	Nikolayeva, T. M. On the Problem of Distinguishing Forms with -O (-E) Ending on Adjective-Type Base in Russian	250
5.	Martem'yanov, Yu. S. Syntactic Characteristics of a Word and Syntactic Analysis of a Phrase	261
6	Belokrinitskaya, S. S., and T. N. Moloshnaya. On the Algorithm for the Independent Morphological Analysis of the Swedish Language	
7•	Dreyzin, F., and R. Rashitov. Principle of Syntactic Analysis of a Tartaric Phrase	280

BELEKKINITSKATA, YE. YE.

Category: USSR/Analytical Chemistry - General Questions.

G-1

Abs Jour: Referat Zhur-Khimiya, No 9, 1957, 30945

Author : Ginzburg V. L., Alekseyenko Ye. F., Belokrinitskaya Ye. Ye.,

Vitushkina I. N., Ineshina F. M.

Inst : not given

Title : Accuracy of Photographic Methods of Spectral Analysis

Orig Pub: Zavod. laboratoriya, 1956, 22, No 11, 1331-1333


Abstract: A comparison was made of the accuracy of analyses of fused nickel, copper regulus, fused cobalt and cathodic nickel, according to calibration graphs in \(\times \) S, lg C coordinates, and in accordance with the solid graph method. Determinations were made of Cu, Fe, Au, Pt, Pd, Ni, Si, Mn, Pb, Sb, Bi, Sn, Co, at concentrations from several thousandth to decimal fractions of one percent, with spectrum excitation in arc discharge of direct and alternating current, and photographic recording on plates of type I, II and III. In most instances no substantial differences were found in the magnitude of errors with different calibration graphs.

-18-

Card : 1/1

We will be supposed to the control of the control o

APPROVED FOR RELIEFASE: 06/23/11: CIA-RDPAG-00513R000204400006-6 | Common Handpool | Common Handpool



30V/81-59-16-56920

Translation from: Referativnyy zhurnal. Khimiya, 1959, Nr 16, p 136 (USSR)

AUTHORS: Belokrinitskaya, Ye.Ye., Bondarenko, V.V., Vitushkina, I.N., Gerasimova, M.S., Ginzburg, V.L., Gramenitskiy, I.N., Livshits, D.M., Kryzhnaya, V.F.

TITLE: The Spectral Analysis of Cobalt for Metallic Impurities With the Use of

Cast Electrodes

PERIODICAL: V sb.: Materialy 1-go Ural'skogo soveshchaniya po spktroskopii, 1996.

Sverdlovsk, Metallurgizdat, 1958, pp 59-61

ABSTRACT: The samples are cast into chill molds in the forms of rods of 7 mm in dia-

meter and 40 mm long. The butts of the rods are filed to a plane and treated by a HCl solution (l:1) for cleaning from Fe. The spectra are excited in an a-c arc with an upper carbon electrode and photographed with an average quartz spectrograph. The standards are prepared on the basis of pure cobalt, in which the concentration of admixtures is determined chemically. Ni, Fe, Si, Mn, Al, Cu, As and Sb can be determined with a

mean error of 5 - 15%.

G. Kibisov.

Card 1/1

BELOKRINIERS: 06/23/11: GIA-RDP86-00513R000204400006-6 BELOKRINIERS: W.s. abovery, the plant of the term of the experience mental nomely the steeler, that the steeler is a seal larger of the experience mental nomely the steeler, that there is a seal larger of the experience of the prediction. The term of the experience of the prediction. The kind of the logitum, Boy mention of the larger of the experience of the experienc

Bolokrinitokiya V V. AUCHOR: Prench-Type Foundations in the reese One: (Transle, two "ITLE: fundamenty v prespovom tackhe) Avitomobilings prompoblement', 188, 38 . For any N. W. Ok *ERIODICAL: The author reviews tremeh-type foundations as used in press ABUTRAUT: shops in foreign countries and describes these in the piece shops at Gor'kiy and Wiyanovsk Automobile Flants. These foundations contain channels through which conveyor telts transport raw materials, products, and scrap. D.G. Gin: burg states in his work (left 1) that the only possible method for truncjorting problings for the shops to the intermediate storage in large-scale production is by the use of sorial and (with-type conveyors). The switch result arphiagrees with this statement and sensinger to the most efficient conveying system can be rall; by using a number of transporting devices: lift trucks, conveyors, relier tables, etc. There are 5 shotographs, 2 diagrams, and a Soviet reference. ASSOCIATION: Wyanovskig avtomived (UP) chevel Automobile reant; Card 1/1

<u> APPROVED FOR RELFASE: 06/23/11:__CIA-RDP86-00513R000204400006-6</u> BELOKRINITSKIY, V., inzh. (g.Ul'yanovsk) Self-loading motortruck. Izobr. i rats. no.11:18 N '60. (MIRA 13:10) (Motortrucks)

BELOKRINITSKIY, V.

Current problems in the organization of transportation work in industry.

Sots.trud 8 no.3:44-51 Mr '63.

1. Glavnyy konstruktor Ullyanovskogo nauchno-issledovatel'skogo i proyektnojtekhnologicheskogo instituta mashinostroyenlys.

(Machinery industry—Technological innovations) (Material namiling)

BELOKRINITSKIY, V.V. Use of pusher conveyers. Avt. grom. no.5:37-41 My '61. (MIRA 14:3) 1. Ul'yanovskiy avtozavod.


(Assembly-line methods)

(Conveying machinery)

YASHIN, Yu. BELOKRINITSKIY, Ye. Standardization of the fuel tanks of the U/7 motortrucks. Avt. transp. 43 no.1:39 Ja 165. (MTRA 18:3)

ceeded 100% on crush I because of inclusion of five > (which was used in slight excess) A 2nd series of expis CABELDICINITY, Preparation of thiodiphenylamine. R. P. Belokrinitskil. J. Appired Chem. (U. S. S. R.) 14, 187-91(1941).—An extensive study of the best prepn. method for thiodiphenylamine (phenothiasine) (I) was undertaken by H. because of the givat success of this insecticide in the United States. Although the field work is not complete, B. reports that I is an effective agent against the malagia mosquito, being equal to Paris green and lacking the toxicity of the latter to mammals. The only known effective prepn. method for I is fusion of NHPh (II) with S; its variations were studied with the view of possible large-scale production. The eapth, procedure was as follows: powd. II and S were mixed with I, charged into a flush fitted with an air condenser and immersed in an oil bath preheated to the desired temp.; initiation of the reaction was judged by the appearance of H₃S bubbles and their disappearance marked the end of the reaction; the gases were collected and the amount of evolved H₃S was detd.; the yield of the crude I was detd. by weighing the flask after blowing of occluded H₃S. The list series of expisswas the study of the effect of temp. on the reaction, each expt. being run with 40 g. H, 16 g. S and 0.4 g. 1 (1% by wt. of II); the crude I in all cases m. 171.3° and was obtained in essentially quant. yield (101.3-15%) at the 4 temps. tried: 170-80°, 180-40°, 180-200°, 280cerded 100% on crude 1 because of inclusion of five 5 (which was used in slight excess). A 2nd series of expts studied the variation of catalyst (soline) conen., by using the same charge as series 1 run at 100-250%, with the following results: 0.5% I yielded 47.8 g, crude 1, in 172-4%, in 25 mm, 0.25% I yielded 47.8 g, in 172-4%, in 33 mm, 0.15% I yielded 47.7 g, in 157-mm.

Omission of 1 required 100 mm, beating to 240-80% to yield 47.7 g crude 1, in 132-42% from which barrely 250% yield of 1, in 170-1%, was obtained by recrystin, from RiOH. A 3rd series of cytls was run in order to study the uccessity for the mm of an excess of Scustomardy used, the following results were obtained with a 40-g charge of 4 . • the necessity for the um of an excess of Scustomarty used, the following results were obtained with a 40-g charge of II and 1% I at 100-200°: the use of 16 g Sci6°, excessing excessing grow 47-6 g crude 4, in 174-5°, in 16-18 min, showing that although the speed of the reaction is decreased by a smaller and of S, the purity of the crude I is improved; further, with excess S, up to 1.5°, of crude I was used. in EtOH, while the use of the theoretical and of S yielded almost quantitatively sol-crude I, which on . . I was insol, in EtOH, while the use of the theoretical and of S yielded almost quantitatively sol ciude I, which on I crystin, gave pure I, in, 178-9° (completely pure I, io, 180-1°). A series of larger cepts, was tun at 190-250, in which 200-500 g, batches of II were rim under optimion conditions detd, above, with 0.4-0.25% I, yielding an average of 99.3% crude I, in 175-7°, in 40-00 min depending on the antis of II used. The use of tech II and S was shown to be entirely satisfactors. In view of the 70 . oy wr. or 11); the crude I in all cases in, 171-3" and was obtained in essentially quant, yield (101-3-1.5%) at the 4 temps, tried; 170-80", 180-90", 180-90", 200-210"; the lowest temp, required 23 min, for completion, and the 190-200" range, requiring only 11 min., was indeed to be optiminn; the yield was calcd. on II and expending on the ants of II used. The use of the S was shown to be entirely satisfactors. In view of the S was shown to be entirely activated in the comparative scarcity of I in U. S. S. R. other catalysts comparative scarcity of I in U. S. S. R. other catalysts were tried, with the inding that antiver AICL give creatity entirely comparable to those obtained with I. G. M. Kosolapoff. 40 0 SIL A METAL COLUMN AL PRIERATURE CLASSIFICATION



BELOKRYLIN, Yu.F., inzh.; DAVYDOV, Ye.N., inzh. Operation of the IVU 100/15x6 rectifier. Elek. i tepl. tiaga 2 no.9:18-19 S '58. (MIRA 11:10) (Mercury-arc rectifier)

PROKHOROV, Fedor Nikitovich; <u>BELOKRYLIN</u>, Yu.F., inzh., retsenzent; LEVIN, B.M., insh., retsenzent; RYAZANTSEVA, Yu.A., retsenzent; KALININ, V.K., inzh., red.; BOBROVA, Ye.N., tekhn. 'red.

[Electric traction departments and electric power supply of electric railroads]Elektrotiagovoe khoziaistvo i energo-snabzhenie elektricheskikh zheleznykh dorog. 2., perer. i dop. izd. Moskva, Transzheldorizdat, 1962. 134 p.

(MIRA 16:1)

(Electric railroads--Current supply)
(Electric locomotives)

AVATKOV, A.S., inzh.; BELOKRYLIN, Yu.F., inzh.

Use of semiconductor rectifiers in traction substations. Zhel. dor.transp. 41 no.8:31-33 Ag '59. (MIRA 12:12) (Electric railroads-Substations) (Electric current rectifiers)

BENCKRYNOV, G.A. Characteristics of the option of the control of the 3°63. 1. In Chiticipy many begins to the

BELOKRYLOV, G.A.; MARKOVA, I.V.; OSTROVSKIY, A.D.

Effect of adrenal hormones on the resistance of the organism to the staphylococcal exotoxin and the endctoxin of Escherichia coli. Farm. i toks. 28 no.5:571-574 S-0 165. (MIRA 18:13)

1. Kafedra farmakologii (zav. - deystvite) nyy oblen AMN Cockprof. V.M.Karasik [deceased]) i kafedra mikrobiologii (zav. prof. V.M.Berman) Leningradskogo pediatricheskogo meditrinskogo instituta. Submitted July 7, 1964.

L 37)L2-66 EWT(1)/T JK
ACC NR: AP600/1971 (N

500006 0006: 46/03/07/5/07/005/0571/057;

AUTHORS: Belokrylov, G. A. (Member of paramagero, property, and and reading dept); Harkova, 1. V. (Member of distributed options, Depter of pieces along dept); Ostrovskiv, A. D. (Member of pharmacology dept, West 3 of right value, dept)

ORG: Department of Pharmacology /he shed by Katang and let A 2 a 2 a, anothers a v. b. Karasiky (deceased) / and Department of Aberophiclogy /headed by Fredescar J. H. Berns V. Leningrad Institute of Podiatric Medicine (Kafestyn Jaroshelegis a Kafedra mikrobiologii Leningradskogo podiatricheskogo medicinentkogo mutatata)

TITLE: Effect of adrenal permones on organism revisioner to stapeylo occasion and colibacillus endotoxin()

SOURCE: Farmakologiya i toksikologiya, v. 26, m. 4, 1995, 371-154

TOPIC TAGS: medical research, adreval gland, sem as a Audio

ABSTRACT: Tests were performed to study the offerent warrend and proper injection of individual adrenal humanness of an area of the first and a second or exotoxins. Adrenal ectomics were performed on the constant of the first and the divided into 6 groups, each receiving a daily was second as proved to be hormones cortisone or hydrocortisone, 300A, and adversal or expensely a second of DOCA and adrenalin. Sham operations were performed as a second of the constant of the con

Card 1/2

UDG: 616.901.25+616.981.467-077.4:32.4.341

L 37142-66

ACC NR: AP6004971

were injected with 10 mg/kg hydrocortisons and hy with a) units per a second staphylococcal exotoxin used was prepared from a similar of which is 1 g ; the second and the collibacillus endotoxin was obtained according to the kinds of which is 1 g ; the second messrobeanu from the strain Ollib₁ li₂. Tabulated results show that the li² is 1 decided animals from collibacillus endotoxin is 500 binds I was than that exist is added and only combined injection of cortisons and adversally resistance to added and end in resistance to its library level. Tabulated results of tests with exotoxin show advendentable does not affect resistance to exotoxin, and cortisons or DOCA increases resistance above the level of control animals. Medullectomy reduces resistance to endotoxin by a times. Injection of ACTH or hydrocortisons into intact animals does not influence their resistance to exotoxin, but markedly increases resistance to collibacillus endotoxin. Orig. art. has: 2 tables.

SUB CODE: 06/

SUBM DATE: 07Jul64/

ORIGINEF: 001/

OTH REF: OOL

Card 2/2 at

BELOKRYLOV, Ivan Dmitriyevich; YEFIMOV, Andrian Ivanovich; CRAVE, N.A., otv.red.; GOLEVA, Ye.M., red.izd-va; NIKCLAYEVA, I.B., red. izd-va; LEBEDEVA, I.A., tekhn.red.

[Permafrost in iron and coal deposits of southern Yakutia]
Mnogoletnemerzlye porody zony zhelezorudnykh i ugol'nykh mestoroshdenii IUzhnoi IAkutii. Moskva, Izd-vo Akad.nauk SSSR.

1960. 73 p.

(Yakutia--Frozen ground)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6 MOLDAVSKIY, M.I., TIMOFF SV. Va.L., BELOKRYLOV, K.T. Semiautomatic machine for applying give and abrasive grains to polishing wheels. Stan. I instr. 36 no.6:28230 Je 165. (MIRA 18:8) <u> APPROVED FOR RELFASF: 06/23/11:__CIA-RDP86-00513R000204400006-6</u> KCZLOVSKIY, P.R., inzh.; BOGDANOV, Yu.V., inzh.; BELOKRYLOV, V.V., inzh. Automatic control of conveyors preventing the breakdown of their operating members. Sbor. KuzNIUI no.10:292-300 (MIRA 18:9)

BELOKRYLOVA, A.V.

Achievements of Vargashi trackworkers. Put' i put. khoz. no.6:12-13 Je '59. (MIRA 12:10)

l.Inzhener distantsii, stantsiya Vargashi, Yuzhno-Ural'skaya doroga. (Vargashi--Railroads--Track)

AMSTISLAVSKAYA, S.M.; BELOKRYLOVA, A.V. (Sverdlovsk) When dusk descends on the city. Zdorov'e 6 no.3:11 Mr '60. (MIRA 13:5) (SVERDLOVSK--HRAITH EDUCATION)

BELOKRYLOVA, T.G.; KUZNETSOV, V.G.; MOZHAYEV, N.S.

Oil potential of the Lower Carboniferous of western Orenburg
Province, Geol. nefti i gaza 6 no.12:41-44, D '62. (MIRA 15:12)

1. TSentral 'naya nauchno-issledovatel 'skaya laboratoriya
tresta Orenburgneftogaznasvadka.

(Orenburg Province—Petroleum geology)

HELOKRYS, A.P., inzhener. The theory of adjoining areas in the location of mines. Trudy VNIMI no.25:91-104 '52.

(Mine surveying) (Triangulation) <u> APPROVED FOR RELEASE: 06/23/11: _CIA-RDP86-00513R000204400006-6</u> BELOKRYS, A.P., inzhener. Propositions on improving observation procedures in orienting wines according to the symmetrical method. Trudy VNIMI no.26: 33-38 '52. (MIRA 8:3) 33-38 152. (Mine surveying)

RELOKRYS, A.P., inzhener.

Reply to Professor D.W.Ogloblin's review of the article "Mine orientation problems," published in "Ugol'," no.12, 1950.

Trudy VNIMI no.29:207-226 '54.

(Mine surveying)

BELOKRYS, B.P., inzh.; KAMINSKIY, S.B., inzh. (g.Bugul'ma)

Digging the coundation pit for a tank in frozen ground. Stroi. truboprov. 6 no. 2:15-16 F '61. (MIRA 14:5) (Frozen ground) (Excavation—Cold weather conditions)

BELOKRYS, L.S.; VOYTKEVICH, G.V.; CHERNOVSKIY, M.I.

Scientific and technical conference at the Krivoy Rog Mining Institute. Nauch.dokl.vys.shkoly; geol.-geog.nauki no.1:263-265
158. (MIRA 12:2)

1. Krivorozhskiy gornorudnyy institut, kafedra obshchey geologii. (Geology)

APPROVED FOR RELEASE: 06/23/11: GIA-RDP86-00513R000204400006-6

HEIOKRYS, L.S.; RIZDVYANSKIY, K.F.

Age of the clay formation overlying ores in the Kikopol manganese deposit. Izv. vys. ucheb. zav.; geol. i razv. l no.8:49-51 Ag '58.

(MIRA 12:9)

1. Krivorozhskiy gornorudnyy institut. Kafedra obshchey geologii.

(Mikopol region (Duepropetrovsk Province)---Clay))

Paseudotectonic dislocations in Krivoy Rog Tertiary sediments. Nauch.
dokl.vys.shkoly; geol.-nauki no.4:17-22 '58. (MIRA 12:6)

1. Krivorozhskiy gornorudnyy institut, kafedra obshchey geologii.
(Krivoy Rog Basin---Geology, Structural)

AUTHORS:

Belckrys, hede, Wasanenko, A.M.

126-58-7-37/4H

TITLE:

New Rhymolite Deposits (Normembershakhozhiesiya rizoliter)

FERIODICAL:

Priroda, 1958, Nr 7, pp 115-117 (USSR)

ABSTRACT:

New deposits of rmy polites have been found in the Bogdano. vich rayon of the Evertlevsk Orlast on the Polinevski, sector of the Troitako-Baynovakoye alay deposits in the border regions between the Cretacoous and Paleogene strate. Rhysolites were also found in the same strata in the Alapayersk district, of the Saratov Oblast! and the Upper Cretaceous layers of the marks of the Bakhchisaray and Simferopol rayon of the Crimea. This points to an equal distribution of these relies or these prostammae and the fact that shellow waters covered these regions during

this period.

There are 2 photos and 1 Soviet reference.

ASSOCIATION: Krivorozhskiy gornersinyy institut (The Krivey Rog Mingle Institute)

1. Rhysolite--Deposits--USSR

Card 1/1

<u> APPROVED FOR RELFASF: 06/23/11: CIA-RDP86-00513R000204400006-6</u> BELOKRYS, L.S., assistent, gornyy inzhener-geolog Origin of shallow folding in the Neogena of the Krivoy Rog Basin. Sbor. nauch. trud. KGRI no.7:96-105 '59. (MIRA (Krivoy Rog Basin-Folds (Geology)) (MIRA 16:9) <u> APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6</u> BELOKRYS, L.S. A form of silicification of fossil shells. Izv. vys. ucheb. zav.; geol. i razv. 2 no.1:68-73 Ja '59. (MIRA 12:10) 1.Krivorozhskiy gornorudnyy institut. (Mollusks, Fossil)

EELOKRYS, L.S.

Stratigraphic distribution of Zygolophodon borson; Hays. Isv. vys.ucheb.zav.; geol.; razv. 2 no.8:48-52 Ag 59.

(MIRA 13:4)

1. Krivoroshskiy gornyy insitut.

(Mastodon)

RELOKRYS, L.S. Conducting geological field work for the on-gent attidents of the Krivey Rog Institute of Miner. Izverys. which rave; geol. i razv. 2 nc.il:118-124 N 153. (MIRA 13:6) 1. Krivotouhakiy germorudzyy in-oktob.
(Grimeau Mountains-Geology-Bitches, mount training)

BELOERTS, L.S.

Systematics and phylogeny of dinotheriids; in connection with a new find of dinotheriid in upper Sarmatian deposits of the Krivoy Rog. Paleont. shur. no.8:95-103 '60. (NIRA 14:1)

1. Krivoroshakiy gornorudnyy institut. (Krivoy Rog region—Proboscidea, Fossil)

BELOKRYS, L.S.

New find of the Trilophodon (Mastodon) ex gr. angustidens
Ouvler in the Ukraine. Izv.vys.ucheb.zav.;geol.i razv. 3
no.2:34-40 F '60. (MIRA 15:5)

1. Krivorozhskiy gernerudnyy institut.
(Nikopol' region—Mastodon)

DELOWAYS, L.S.

Demains of a bunodent rastodon from lower Pilocome sediments of Krivoy Mo., Izv. v.e. uchob. zav.; Geol. i razved. 3 no.9:13-26 S'60.

(MINA 13:12)

1. Krivorozhskiy comozudny/ institut.

(Saksa an' Valley--Martodon)

PETRUN', V.F.; BELOKRYS, L.S. Archaeological study method recommended to geologists for use in the Crimean Mountains. Trudy Kom.chetv.per. no.26:161-167 '61. (MIRA 15:3) (Crimean Mountains -- Geological surveys)

BELOKRYS, L.S.; PETRUN', V.F.

Origin of the exotic boulders in the Pontain sediments in the southern Ukraine. Izv. vys. ucheb. sav.; geol. i razv. 4 no.3: 126-128 Mr '61.

(Ukraine—Boulders)

BELOKEYS, L.S.

Sarmatian stratigraphy of the Krivoy Rog Basin. Sbor. nauch.
trud. KCRI no.13:12-15 '62. (MIRA 16:8)

(Krivoy Rog Basin—Geology, Stratigraphic)

CIA-RDP86-00513R000204400006-6 PETRUNI, V.F., kand. geol.-mineral, nauk, dotsent; BELOKRYS, L.S. Recrystallization of Pontian Insectores of the southern Ukraine, Shore nauch, trud. KGRI no.13:29-37 162. (MIRA 16:8) (Ukraine-Limestone)

<u> APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6</u>

BELCKRYS, L.S. [Bilokrys, L.S.]

Occurrence of deep-sea sediments of the Rostov horizon and Upper Sarmatian in the southern Ukraine. Geol.zhur. 22 no.2:68-71 (MIRA 15:4)

<u> APPROVED FOR RELFASE: 06/23/11: __CIA-RDP86-00513R000204400006-6</u> Harrist Color Color Color Color Simply the second of the Lemin control to the Borysta term of the best of the μ_{0} and μ_{0} are the second control to the s The third of the second of the second

BELOKRYS, L.S. [Bilokrys, L.S.] History of Borysthenes Bay in the Sarmatian. Dop. AN VECK no.4: 1231-1234 162. MIRA 18 'MIRA 18:4) 1. Krivorozhskiy gornorudnyy institut.

BELOKRYS, L.S. Variation of the hinge in Sarmatian Mactridae in Borysthenes Bay. Paleot. zhur. no.3:39-48 163. (MIRA 16:10 (MIRA 16:10) 1. Krivorozhskiy gornorudnyy institut.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6

BELCKRYS, L.S.

Biostratigraphy of Lower Sarmatian sediments in Borystrenes Bay. Izv. vys. ucheb. zav.; geol. i razv. 6 no.2:46-68 F *63. (MIRA 16:6)

BELOKRYS, L.S. Evolution of Sarmatian Mactridae in the Borysthenes Bay. Paleont.zhur. (MIMA 16:4) no.1:13-34 163.

<u> APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6</u> BELOKRYS, L.S. "Travertinelike" facies from Sarmatian sediments in the lower Dnie per Valley. Sbor. nauch.trud. KGRI no.20(3):30-33 '63. (MIRA 16:9) APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6

BELOKRYS, L.S. [Bilokrys, L.S.]

Conditions governing the existence and development of mollusks in the Borysthenes Bay in the Sarmatian age. Zbir. prats. Zool. muz. AN URSR no.32:73-91 '63. (MIRA 16:11)

BELOKEYS, L.S. [Bilokrys, L.S.] Ingulate deposit of Rodophyces, hop. All supermounts we have the agree of the agree of the supermount 1. Krivorozhskiy gornoradnyy inatitat.

YERSHOV, F.I.; EELOKRYSENKO, S.S.

Comparative study of induced lysogenic bacteria by fluorescence microscopy. Zhur. mikrobiol., epid. i imm. 41 no. 2:118-122 F '64. (MIRA 17:9)

1. II Moskovskiy meditsinskiy institut imeni Pirogova.

BELOKRYSENKO, S.S. Effect of levomycetin on the productive development of moderate 2-phage. Zhur. mikrobiol., epid. i immun. 41 no.3:95-98 Mr '64. (MIRA 17:11) 1. II Moskovskiy meditsinskiy institut imeni Pirogova.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6

BELOKEYSENKO, S.S.

Effect of blocking protein synthes: in it called note incertion of Escherichia coli sy maderate phase. Thus, increase; epid. immun. 41 no.6:76-80 de 164.

1. Hi Moskevskiy reditainskiy institut institutus tu-

<u> APPROVED FOR REL FASE: 06/23/11: __CIA-RDP86-00513R000204400006-6</u> BELOKUR, M., polkovnik Mechanical adjustment chart for calculating meteorological and ballistic corrections. Voen. vest. 42 no.7:114-116 J1 '62. (MIRA 15:6) (Fire control (Gunnery)-Equipment and supplies)

BELONUR, V.M.

Shootsucking dipterans in the Henets National Area and the northern part of the Komi A.S.S.R. Ent. ODOX. 37 no.2:404-409 160. (MIRA 13:9)

(Nenets National Area—Diptera) (Komi A.S.S.R.--Diptera)

BELOKUR, V.S. Efficient management in the medical industry. Med.prom. 10 no.2: 8-10 Ap-Je 156. (MLRA 9:8) (MEDICAL INSTRUMENTS AND APPARATUS)

GAVRILOV, F.M.; BELOKUROV, A.I.

Treatment of cholecystitis. Khirurgiia no.5:47-49 My '56.

1. Iz bol'nitmy Moskovsko-Ryazanskoy zheleznoydorogi.

(CHOLECYSTITIS, therapy,

(Rus))

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6

BELOKUROV, A.S.

Our method for overhauling TR 3a relay contacts. Avtom., telem. 1 sviaz; 5 no.4:38 Ap 161. (MIRA 14:6)

l. Elektromekhanik kontrol'no-ismeritel'nykh priborov Lyuberetskoy distantsii signalizatsii i svyazi Moskovskoy dorogi.

(Electric relays)

(Railroads—Electric equipment)

VORONOV, Yu.F., inzh.; BELOKUROV, E.S., inzh.; PRON'KIN, V.Ye., inzh. Mastering the operation of 600-ton open-hearth furnaces. Met. 1 gornorud. prom. no.3:11-17 My-Je '62. (MIRA 15:9) (MIRA 15:9) (Open-hearth furnaces)

KOBEZA, I.I.; BELOKUROV, E.S.; CHERNYAVSKTY, V.G.; POGORELYY, V.P.; KORKOSHKO, N.M.; VORONOV, Yu.F.; PRON'KIN, V.Ye.; BABANYSHEV, M.A. Heating a 600-ton (mega-gram) single channel open-hearth furnace with self-carburetting natural gas. Stal' 25 no.12:1139-1143 D 165. (MIRA 18:12)

SELOKUROU) L.K.

Selyate of the second of the property of the second of the second of the property of

<u> APPROVED FOR RELEASE: 06/23/11;__CIA-RDP86-00513R000204400006-6</u> BELOKUROV, O.V. Peaceful uses of atomic energy as exhibited at the indepost International Industrial Fair. Atom. energ. 19 no.0:564-565 (MIRA 19:1) D 165.

<u> APPROVED FOR RELFASE: 06/23/11: _CIA-RDP86-00513R000204400006-6</u> BELOKUROV, P. Organization of the mechanical servicing of calculating cachines.

Den.i kred. 17 no.4:76-77 Ap 59. (MIRA 12:3)

(Kalinin Province--Calculating machines--Maintenance and repair) MAGID, M.A., inzh.; BELOKUROV, P.L., inzh. Study of the design of lock hardware with sealing rings from polytetrafluoroethylene. Khim. i neft. mashinostr. no.60 7-12 D *64 (MIRA 1822)

CIA-RDP86-00513R000204400006-6

137-58-4-7203

Teanslation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 4, p 126 (USSR)

Rudoy, V.S., Shevchenko, A.A., Pishchikov, G.P., Belokurov, AUTHORS: S. I. Stupel', S. I., Patlan' Ye. F., Chernyavskiy, A. A.

Kholyavko, Z. I.

Effect of External Defects in Steel Ingots on the Quality of Tubes TITLE: Rolled on Pilger Mills (Vliyaniye naruzhoykh porokov stal'nykh

slitkov na kachestvo trub, prokatyvayemykh na piligrimovykh us-

tanovkakh)

PERIODICAL: Byul. nauchno-tekhn. inform. Vses. n.-i. trubnyy in-t. 1957

Nr 3. pp 26-34

An investigation was made of ingots (I) of Nr 4 steel, 230 and ABSTRACT:

305 mm in diameter, exhibiting surface detects such as longitudinal cracks, twist, banding, and nonmetallic superficial inclusions. It was found that the rolling of I with cracks still present leads to the formation of scab on barrels (B) and tubes (T). Twists on I lead to the formation of through cracks or deep scab on B. The rolling of I having longitudinal cracks leads to the formation

of shallow scabbing on B and T. The presence of banding results

in the formation of tine transverse scab which burns out and be-Card 1/2

137-58-4-7203

Effect of External Defects in Steel Ingots (cont.)

comes scale due to the insignificance of its dimensions. Accumulations of nonmetallic inclusions at the surface of the I leads to the formation of fine scab on the B and T. Flame repair of I having cracks up to 45 mm deep makes for production of up to 90 percent first class T, and rolling of I with banding to a depth of not over 30 mm yielded up to 95 percent first class T without repair. Rolling of banded I without repair and of I with cracks removed by the flame method makes it possible to save a considerable amount of metal that had previously been remelted.

1 Steel--Processing--Effects of impurities of Second dispersional Steel tubing--Defects of Sicond Second dispersional Steel tubing--Defects of Sicond Second dispersional Second dispersio

APPROVI	ED FOR REL FASE:		P86-00513R00020440	00006-6
	BELOKURO			
	sor/1574 sout remained las, vol. 3) Eggin	compiled by 22 alists. The meah at alists the meah at alists and the attribute of a me attribute of a me attribute of attribute beatsation of vill attribute accomp attribute of attribute attr		
	RESTANDANCE BESTANDANCE LOGICA as setablish a of for frominge a of for frominge and for frominge and for frominge conference of Artic	Trialdam articles, o se estimat special control of liserious-final increase, des mines frances, des mines frances, des mines frances, des mines frances mines frances mines frances fr	Signatury, S.I., To. II. Bendinsk, S.P. Zoptov, P.In. Erstrace, an S.I. Singal, the or Column-Silion is the Jocathanian of Steam Health Stage, The or Column-Silion is the Jocathanian of Steam Health Stage, J.J. C.A. Elementry, and S.S. Sandagra'le. Effect of Rome Admitter to the Steam of Bensamery Steal, Descripted to Managara'le. Effect of Rome Independent of Steal, Description of Managara'le. Way of Institute the Persilities of Augmenting the Persilities of Augmenting the Persilities of Augmenting the Personnel Chair, II. Steal Balling According to Technological Personnel Chair, Compilation of Chairs (Angeles) and Managara Chair, III. Steal Balling According to Technological Personnel Chair, Compilation of Chairs.	
ŀ	TRAGE 1 BO TRAGE 1 BO TRAGE 2 BO TRAGE 2 BO TRAGE 3 (Extraduction TRAGE 3 (EXTRAGE 5) TRAGE 3 BO TR	olication of 11 On an are referred to on a car referred to on a car referred to on the car referred to the car referred to taking the car ref	Particular, 8.1. To I. Sentiant, 8.7. Zaylor, P.12 Bail, Signif. We or Caldisaction in the Doction of the Continuation of the Doction of the Continuation of Conti	
	M(5), 25(5) 5757. Graylas '197 as Throughough about in Unradian Melaly	Minister State of the State of	Aleganor, s.i., To. I. Benda S.i. Figgil, two of Calcin- Marine Theory, two of Calcin- Aleganor, p. A., V. Ripper, Log the Persility and Source, Palamentor, P.10. Omned Postite of Benli-rall standary Hills of Charles In Presi Balling Acc Charles Completion of Carte	
	16(3) g		The state of the s	9
	1			

AUTHOR: Belokurov, S. I. 133-58-5-21/31
TITLE: At the Works imeni Libknekht (Na zavode im. K. Liebknecht)

PERIODICAL: Stal', 1958, Nr 5, p 448 (USSR)

ABSTRACT: 1. Experimental rolling of tubes from semi-continuously cast ingots, 280 mm ingots were rolled into 6" tubes and bushings on an automatic mill. The quality of products was up to standards.

2. The development and tests of the safety cylinders of a new design for piercing mills. Due to repeated breaking of the working rolls of the piercing mill a new design of safety cylinders with a 65 mm liaphragm was developed which is now being tested.

3. Improvement in the technology of pilgrim rolling of thin walled tubes. Improved roll pass design which increased the output of the mill is being introduced.

4. Rolling of tubes from hollow semis of alloy steels produced by centrifugal casting. Rolling of tubes from the above semis cinalified the above semis cinalified the state.

the above semis simplified the production of thick walled tubes from alloy steels, particularly from those difficult to pierce.

Cord 1/2 5. The development of the technology of induction welding

At the Works imeni Liebknecht

133-58-5-21/31

of tubes on a 10-60 mill (in cooperation with VMII). Industrial and laboratory experiments on welding tubes of 33 mm in diameter and of wall thickness 1.5-3.0 mm were carried out. No details are given.

AUTHOR: Belokurov, S. I. 133-58-5-28/31

TITLE:

At the Works imoni K. Libknekhta (Na zavode im.

K. Liebknecht)

PERIODICAL: Stal', 1958, Nr 5, p 468 (USSR)

ABSTRACT: Thermal treatment of completely rolled reilway wheels.

The experimental work on the application of induction heating of the above product was finished and the design of an induction installation of a capacity of 40 000

t/year have begun.

Card 1/1

AUTHOR: Belokurov, S.I.

SOV/133-58-6-13/33

TITLE:

In the Plant imeni K. Libknekht (Na zavode im.

K. Libknekhta)

PERIODICAL: Stal', 1958, Nr 6, p 518 (USSR).

ABSTRACT:

1) The use of 25-faced ingots instead of round ones for casting killed steel decreases the proportion of rejects due to longitudinal cracks, from 0.56 to 0.03%.

2) The development and mastering of the technology of smelting of low-alloy steel for rolling railway wheels.

To increase the wear resistance of railway wheels and improve their mechanical properties, a low-alloy steel (0.45-0.75 Cr and 0.50-0.80% Si) was developed in co-operation with the Institut metallurgii AN SSSR (Institute of Metallurgy of the Ac.Sc.USSR). Wheels from the new steel are being tested in service. No details are given.

3) The introduction of an improved technology of smelting lowalloy steel for wheels (in co-operation with the Dnepropetrovskiy metallurgicheskiy institut (Dnepropetrovsk Metallurgical Institute)). By rounding the upper part of ingot moulds, the retention of broken-off crust during its passage to the shrinkage head was reduced. This decreased the amount of

In the Plant imeni K. Libknekht

SOV/133-58-C-13/33

non-metallic inclusions in the metal.

4) Smelting of steel 15GDYuT (in co-operation with the Ukrainskiy institut metallov (Ukrainian Institute of Metals)). In order to obtain a high-strength sheet steel, the technology of smelting steel 15GDYuT (C 0.13-0.18%, Mn 1.2-15%, Si 0.15-0.30%, Cu 0.3-0.4%, Ti 0.06-0.10%, Al 0.04-0.08%, S less than 0.04% and P less than 0.04%) in an open-hearth furnace was developed. Steel is deoxidised in the furnace with silico-manganese and an addition to the ladle of ferrotitanium in lumps not larger than 60 mm and of aluminium on a rod (after filling the ladle with slag).

5) Casting of steel into tube ingot moulds through displaced

bottom inlets.

The stream of liquid steel entering the bottom of an ingot mould is deflected from vertical towards the side apposite

mould is deflected from vertical, towards the side opposite to the central casting funnel, causing some erosion of the formed ingot crust with subsequent formation of longitudinal cracks. To prevent this, some tests were carried out in which the inlet was displaced towards the central funnel.

In the Plant imeni K. Libknekht

SOV/133-58-6-13/33

In this way, the deviation of the stream from a vertical one was compensated by a longer distance from the ingot's crust. This resulted in a decrease in the proportion of ingots requiring welding dressing from 0.72% to 0.51% and of corresponding defective ingots from 0.4% to 0.3%.

1. Steel castings--Production 2. Steel castings--Fracture 3/3 3. Steel castings--Processes

KOBRIN, M.M., kand. tekhn. nauk; ZAKS, M.N., inzh.; BELOKUROV, V.N. Studying the joints of the frames of farm trailers. Trakt. i sel'khozmanh. no.7:15-17 J1 '65. (MIRA 18:7) 1. TSentral'nyy nauchno-issledovatel'skiy institut stroitel'nykh konstruktsiy (for Kobrin). 2. Mytishchinskiy mashinostroitel'nyy zavod (for Zaks, Belokurov).

AVAGIMOV, Ye.A. [Avahimov, E.A.], assistent; ZAKHAROV, V.N., student 4-go kursa; ZAKHAROVA, A.A., student 4-go kursa; BELOKUROV, V.G. [Bielokurov, V.H.], student 4-go kursa

Stand for cleaning fuel and oil filters. Mekh. sil'. hosp. 13 no.9:10-11 S '62. (MIRA 17:3)

1. Kubanskiy sel'skokhozyaystvennyy institut.

ACC NR: AT7003836

SOURCE CODE: UR/3169/66/000/0018/0075/0084

'AUTHOR: Leshchuk, F. A.; Belokurov, V. S.

ORG: None

TITLE: Study of the structure of the upper portion of the earth's crust in the Ukrainian shield by controlled direction reception

SOURCE: AN UkrSSR. Geofizicheskiy sbornik, no. 18, 1966. Geofizicheskiye issleuovaniya stroyeniya zemnoy kory (Geophysical investigations of the structure of the earth's crust), 75-84

TOPIC TAGS: earth crust, geology, geologic exploration, seismic wave, scientific research, seismic prospecting, underground explosion, tectonics, wave propagation

ABSTRACT: In 1963, the Institute of Geophysics of the Academy of Sciences of the Ukrainian SSR performed field experiments using RNP [controlled direction reception of seismic waves in order to determine the effectiveness of this method in studying the structure of the upper portions of the earth's crust in the presence of the Ukrainian crystalline shield. The RNP investigations revealed a considerable number of seismic boundaries in the upper portion of the crust (down to 7-8 km) which were, generally, not mirror images in the 15-30 cycle range; that the complexity of the wave picture recorded near the explosion point during deep seismic logging operations

Card 1/2

ACC NR: AT7003836

results from wave interference; that RNP makes possible increased effectiveness of seismic investigations under these interference conditions; that the seismic boundaries constructed were nearly horizontal; and that RNP operations are extremely promising for the location and study of zones of tectonic disruption in the crust. A number of seismic boundaries located within the "basalt" layer from 14.5 to 18 km in depth were reliably located. Results obtained are a sufficient basis for widespread RNP investigations on the Ukrainian crystalline shield. Orig. art. has:

SUB CODE: 08/SUBM DATE: None/ORIG REF: 005

17(10)

201/177-58-4-8/32

AUTHOR:

Belokurov, Yu.N., Captain of the Medical Corps

TITLE:

Perforated Ulcers in Young Persons (Probodnyye yazvy a lits molodogo vozrasta)

PERIODICAL:

Voyenno-meditsinskiy zhurnol, 1958, Nr 4, pp 20-23 (U.SR)

ABSTRACT:

The present report is based on 45 physiciars' reports on young patients suffering from perforated ulcers. The author observed some rapidly developing ulcers which ended with perforation 2-3 days after epigastralgia, pyrosis and emesis had appeared. According to data of the Leningradskiy institut skoroy pomoshchi (Leningrad Institute of First Aid), the preperforated stage was observed in 18% of cases. The author indicates that in spite of pronounced symptoms of perforated ulcers, the percentage of military physicians' diagnostic errors is very high. The author concluded that young persons often suffer from "dumb ulcers", the anamnesis of which

Card 1/2

APPROVED FOR RELEASE UNICALL CAREBUSEOUS

30V/177-58-4-6/32

Perforated Ulcers in Young Persons

is short and indistinctly pronounced. A shock following perforation of ulcers was not observed, or only for a short time. General remote results of suturing perforated ulcers are not satisfactory. Good results may only be obtained in sewing up latent ulcers and those with a short anamnesis. There is I table.

BELOKUROV, Yu.N. (Yaroslavl', pr. Lenina, d.12, kv. 8))

Capillary blood circulation in fractures of the lower extremities.

Nov.khir.arkh. no.5:117 S-0 '59. (MIRA 13:3)

1. Kafedra gospital 'nov khirungii (zaveduyushchiy - prof. A.A.

Troitskiy) Yaroslavskogo meditsinskogo instituta.

(EXTERMITISS, LOWER--FRACTURES) (CAPILLARIES)

BELOKUROV, Yu.N.

Vascular tonus and capillary circulation in fractures of bones of the lower extremities. Khirurgiia 36 no.11:23-27 N '60.

1. Iz gospital noy khirurgicheskoy kliniki (zav. - prof. A.A.
Troitskiy) Yaroslavskogo meditsinskogo instituta.
(LEG-FRACTURE) (BLOOD-CIRCULATION)

<u> APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204400006-6</u> BELOKUROV, Yu. A. Cand Med Sci - (diss) "Blood supply of the lower extremities in closed fractures of the bones." Ivanovo, 1961. 22 rp; (Ivanovo State Med Inst); 200 copies; price not riven: (KL, 7-61 sup, Dynamics of the blood supply to the lower extremities in bone fractures. Ortop., travm.i protez. no.2:33-37 '62.

1. Iz kafedry gospital noy khirurgii (zav. - prof. A.A. Troitskiy) Yaroslavskogo meditsinskogo instituta (dir. - prof. N.Ye. Yarygin).

(EXTREMITIES, LOWER--BLOOD SUPPLY) (FRACTURES)

CIA-RDP86-00513R000204400006-6

sov/137-59-4-7379

Translation from: Referativnyy zhurnal, Metallurgiya, 1959, Nr 4, p 149 (USSR)

Ignatov, D.V., Belokurova, I.N., Belyanin, I.N. AUTHORS:

Investigation Into Diffusion Processes of Iron and Chromium in $\alpha - Al_2O_3$, $\alpha - Cr_2O_3$, NiCr_O₄ and NiAl₂O₄ Oxides TITLE:

V sb.: Metallurgiya i metallovedeniye, Moscow, AS USSR, 1958, pp 326-330 PERIODICAL:

Tablets were pressed of \propto -Al₂O₃, \propto -Cr₂O₃ oxides and mixtures in a stoichiometric relation for spinels (NiO/Cr₂O₃ = 1 and NiO/Al₂O₃ = 1). The tablets were subsequently sintered. The active layer of 0.1 to 1 μ ABSTRACT: thickness was applied by the method of evaporation in a vacuum. The thickness of the layer was determined from the growth of weight. Diffusion annealing was carried cut in quartz tubes or ampoules in a vacuum ov 10-2 -- 10-3 mm Hg for Cr at 1,100°, 1,000°, 900°C and for Fe at 1,200°, 1,100° and 1,000°C during 25 - 200 hours. The distribution of concentrations was investigated by removing the layers. All experimental lg D points (D is the coefficient of diffusion) depending on the inverse temperature L/T can be satisfactorily arranged on a straight line. The authors point to the

relative character of results obtained, due to the effect of surface Card 1/2

Investigation Into Diffusion Processes of Iron and Chromium in α -Al₂0₃, α -Or₂0₃. NiCr₂0₄ and NiAl₂0₄ Oxides

diffusion and the difficulty of removing the layers of homogeneous thickness from the surface of a specimen, that was sintered from powder. Increased $Q_{\rm Fe}$ railes with respect to $Q_{\rm Cr}$ are explained by the larger size of Ferions as compared to or tons. A conformity between $Q_{\rm Cr}$ and $Q_{\rm Fe}$ and evaporation rates of $Q_{\rm Cr} = 0.00$ and $Q_{\rm Cr} = 0.00$

1.1

BELOKUROVA, J N.

LLTGRG:

Belo'mrova, I. F. . Ignatov, D. V.

Investigation of the Diffusion Processus of Iron and Capa 11/11/1: trum in the Spinels MiCro, and MiAlo, by the Aid at Fermand Cross (Issledovaniye profession dalffizat shelegat khrut v chpinelyakh MiCro, i MiAlo, a pomoche'i gu cho' a chail

Atomaya Maraiya, 1965, Vol. 4, Nr 3, pp. 901 (033h) PELICOTCAL:

A so MACT: The samples of apinels were mide from positive ${
m MO}/{
m Cr}_{g}{
m C}$ Al₂O₂ in the stoichiometrical ratios NiO : Cr₂O₂ = 1 and NiO : Al₂O₂ = 1 by compression and annealing it 1200°C. The period of flowing for NiCr₂O₂ was 150 hours, for Fig. 150 hours, for NiCr₂O₃ was 150 hours, for Fig. 150 hours, for NiCr₂O₃ was 150 hours, for NiAl₂O₄ 500 hours. The specific weight of NiCr₂O₃ varied between 3.2 3.5 g/cm² and of NiAl₂O₄ between 129 · 2.2 g/cm².

R disactive iron or chromium respectively was lead on the samples by evaporation and subsequent condensation in va cuun. The diffusion took place in vacuum at 10% to to $\frac{2}{3}$ at

Card 1/2 nercur, column. The temperatures at which the influsion

Investigation of the Diffusion Processes of Iron and Caronian in the Spinols MiCr₂O₄ and WiAl₂O₄ by the Aid of Fe⁵⁹ and Cr⁵¹ took place were 900, 1000 and 1100°C in the case of chro-

took place were 900, 1000 and 1100°C in the case of chromium, whereas 1000, 1100 and 1200°C in the case of iron. By counting the radioactivity in the series according to layers stranged off the single samples the diffusion could be determined. The following values were obtained:

D: 20	cal/Hol	Do 3/301	
Diffusion of Cr in HiCr ₂ 0 ₄	44800	1,03 . 10 ⁵	
HiA1 ₂ 0 ₄	50000	17 . 10	
Diffusion of Fe in $\operatorname{ViCr}_2\mathbb{Q}_A$	6 1 770	1,35 , 10	

There are 2 figures, and t table.

SUBMITTED:

Hovember 15, 1957

Card 2/2

1. Iron-Diffusion processes 2. Chromium Diffusion processes

3. Spinels-Applications

SOV/180-59-1-3/29 Belokurova, I.N., Kekua, M.G., Petrov, D.A. and AUTHORS: Suchkova, A.D. (Moscow)

Production of Single Crystals of Alloys of Germanium with TITLE: Silicon (O poluchenii monokristallov splavov germaniya s

kremniyem)

PERIODICAL: Izvestiya Akademii Nauk SSSR, Otdeleniye tekhnicheskikh nauk, Metallurgiya i toplivo, 1959, Nr 1, pp 9-12, + 1 plate, (USSR)

ABSTRACT: The production of single crystals of solid solutions of germanium with silicon is important in the semiconductor field since they can combine the advantages of both elements. The authors describe their experiments with two methods of production. In the first, similar to that of Davis (Ref 4), a melt of the required composition was produced in an evacuated quartz ampoule in a silit furnace. The melt was held at 20-25°C above the liquidus temperature for four hours and then cooled at 1.500 per hour. Single crystals with 0.5 - 5 at. % Si were obtained but it was found (Table 1) that they were

heterogeneous in composition, having a gradient of silicon content and conductivity. The Laue patterns

SOV 1189-59-1-3/29 Production of Single Crystals of Alloys of Germanium with Silicon (Fig 4) indicate that growth occurs with a [100] orientation. The second method is based on drawing a crystal with continuous feed of melt as described by D.A. Petrov and V.S. Zemskov (Ref 6). For this a special apparatus was developed shown open in Fig 2 and in operation in Fig 1. A quartz crucible is heated by a graphite heater and a vacuum of 10-4 mm Hg is maintained while a crystal is drawn, a polycrystalline ingot of the same composition being added to the crucible at the same rate. Temperature is controlled manually and is chosen to give a single-crystal diameter equal to that of the feed ingot the rate of feed and drawing then being the same and equal to 1.7 mm/min. Both crucible and crystal are rotated. Specimens were obtained (Table 2) with 0.70, 0.75, 1.0 and 2.0 at % Si with homogeneous composition and electrical properties. Fig 8 shows Card 2/3 resistivities as functions of length along specimens for several specimens. Specimens with [11] orientated

Production of Single Crystals of Alloys of Germanium with Silicon growth axes are shown in Fig 5, while Figs 6 and 7 show Laue patterns from the seeding crystal and the single crystal, respectively.

Card 3/3 There are 8 figures, 2 tables and 6 references, 3 of which are English, 2 Soviet and 1 German.

SUBMITTED: August 8, 1958

BELOKUPOVA, I.W Tablior, Th. 1. On the Use of Mass Spectrum-ric Methods of Acalysis Gardonich, F. K. Hechanical Principles of Enchange Ress Egentory, D.F., Printipal Methods and Apparatus for Stadying the Provided of Octaving the Provided Melasting Bulks and M.S. Germen. Policystype) of large cupities Metals, T.S., and A.T. Arthipper, Description of Metallic Regiones Columnators, R.J. Rapid Method for the Debitation of Iron in Allays Migrathon, I.F. Study of the Spocks of Specializate Methods Servidary Shretron Seed In The And Off Indicated The Section in Section in September 14. Main for Medical and September 14. Described \$1.51, M.O. Rebuty and T.M. Selections Study of the Return, D.A., Problem of Salability and State of Emperities in Semiconductors in a derichter, Te. H., F.V. Laum, and Tu. F. Tellury. State Plante OFFICE: The collection contains actions on mailings, what of some and prince the collection and the street was actions and the street was action and the street of cold training the interface on the properties of alloys are controlled, and intermedia and alloys are controlled, and intermedia and alloys are controlled, and intermedia and alloys are controlled. Sections 2.7, and 7.1 Charty. On the Emiliarization of the Boulder of Demail Admitton of this world by Silliam in the Process of Caldian Onto Series L. M., and W. M., Sharing Sharing of the Simulative and Marketon Series (Series of Marketon Series) Properties of Marketon Series Of Marketon of the Little Alleys Constants (Series Series (Series Series Series (Series Series S Taling to Add and the Character System of the Confession of the State of System NEGROUP: This collection of articles is intended for metallurgists and motal researchers. Hesp. Ed.: T.P. Sordin, Academicin (Decreased), Ed. of Pathieting Sous: T.A. Elizati tech. Ed.: T.P. Polsoner. described to the second of the ESTATISTICS NOW I ASYM Committee metallicents common A.A. Doynows

APPRO	OWED FOR REL	FASE: 06/23/11:	CIA-RIJP8	6=01051B3R01010	P20420000016=6	7 · * *
					Á	
	, 17.					
			•			.
	.? :					
				1476	8 9 1	
						A.R.
		1406		10/10		
						77.38
					77.24	